



West Fraser Treated OSB
West Fraser Timber Co. Ltd.

PR-N213
Revised April 16, 2023

Products: West Fraser Treated OSB

West Fraser Timber Co. Ltd., 885 West Georgia Street, Suite 1500, Vancouver, British Columbia, V6C 3E8, Canada

(604) 895-2700

osb.westfraser.com

1. Basis of the product report:

- 2021, 2018, 2015, and 2012 International Building Code (IBC): Section 104.11 Alternative materials
- 2021, 2018, 2015, and 2012 International Residential Code (IRC): Section R104.11 Alternative materials
- DOC PS 2-18, Performance Standard for Wood Structural Panels
- APA Reports Q08Q-3 and Q10Q-5, and other qualification data

2. Product description:

West Fraser treated oriented strand board (OSB) is made with strands of various species and strand classifications in accordance with the in-plant manufacturing standard approved by APA. The OSB is treated with *Borogard*[®] ZB (registered trademark of U.S. Borax; an EPA-registered zinc borate preservative) for decay and insect resistance to a retention level equivalent to that specified in American Wood Protection Association (AWPA) Standard T1 and to that specified as Hazard Class H2 in the Australia – New Zealand Standard AS/NZS 1604.2:2012. The efficacy of the preservative treatment is outside the scope of this report and the APA certification program. West Fraser treated OSB meets the requirements of PS 2 and is edge sealed and available in Performance Categories from 3/8 to 1-1/8.

3. Design properties:

West Fraser treated OSB panels meet the design properties specified in APA *Panel Design Specification*, Form D510 (www.apawood.org/resource-library).

4. Product installation:

West Fraser treated OSB recognized in this report shall be installed in accordance with recommendations provided by the manufacturer (www.westfraser.com) and APA *Engineered Wood Construction Guide*, Form E30 (see link above). The maximum span shall be in accordance with the Span Rating shown in the trademark.

5. Fire-resistant construction:

Wood structural panels that are not treated with fire retardant chemicals have been shown to meet a Class III (or C) category for flame spread. Where otherwise specified, fire-resistant construction shall be in accordance with the recommendations published in APA *Design/Construction Guide: Fire-Rated Systems*, Form W305 (see link above).

6. Limitations:

- a) West Fraser treated OSB recognized in this report shall be used in a design span not exceeding the span rating shown in the trademark.
- b) West Fraser treated OSB is limited to use in interior above-ground applications consistent with the recommendations provided by the manufacturer.
- c) West Fraser treated OSB is limited to dry service conditions where the average equilibrium moisture content of sawn lumber is less than 16%.
- d) West Fraser treated OSB is produced by West Fraser Timber Co. Ltd. at the West Fraser facility in Barwick, Ontario, Canada under a quality assurance program audited

- by APA. The efficacy of the preservative treatment is outside the scope of this report and the APA certification program.
- e) This report is subject to re-examination in one year.

7. Identification:

West Fraser treated OSB panels described in this report are identified by a label or stamp bearing the manufacturer's name and/or trademark (West Fraser), the APA assigned plant number (498), the product Performance Category and span rating, the APA logo, the report number PR-N213, and a means of identifying the date of manufacture.

APA – *The Engineered Wood Association* is an approved national standards developer accredited by American National Standards Institute (ANSI). APA publishes ANSI standards and Voluntary Product Standards for wood structural panels and engineered wood products. APA is an accredited certification body under ISO/IEC 17065 by Standards Council of Canada (SCC), an accredited inspection agency under ISO/IEC 17020 by International Code Council (ICC) International Accreditation Service (IAS), and an accredited testing organization under ISO/IEC 17025 by IAS. APA is also an approved Product Certification Agency, Testing Laboratory, Quality Assurance Entity, Validation Entity, and Product Evaluation Entity by the State of Florida, and an approved testing laboratory by City of Los Angeles.

**APA – THE ENGINEERED WOOD ASSOCIATION
HEADQUARTERS**

7011 So. 19th St. • Tacoma, Washington 98466
Phone: (253) 565-6600 • Fax: (253) 565-7265 • Internet Address: www.apawood.org.

PRODUCT SUPPORT HELP DESK
(253) 620-7400 • E-mail Address: help@apawood.org

DISCLAIMER

APA Product Report® is a trademark of APA – *The Engineered Wood Association*, Tacoma, Washington. The information contained herein is based on the product evaluation in accordance with the references noted in this report. Neither APA, nor its members make any warranty, expressed or implied, or assume any legal liability or responsibility for the use, application of, and/or reference to opinions, findings, conclusions, or recommendations included in this report. Consult your local jurisdiction or design professional to assure compliance with code, construction, and performance requirements. Because APA has no control over quality of workmanship or the conditions under which engineered wood products are used, it cannot accept responsibility for product performance or designs as actually constructed.